
SONY

BRAVIA 9 Series

QLED XR | Mini LED 4K HDR Display with Google TV & 3 years PrimeSupport











BRAVIA 9 Series

QLED (XR | Mini LED)

FWD-85XR90 | FWD-75XR90

Key Benefits

Unparalleled brightness, incomparably beautiful colours | Step into a new realm of realism with our brightest 4K ever. Unlike other TVs, our expanded colour volume keeps images vivid and saturated even at high brightness levels, so you see pictures just as the creators intended. Our theatre-like sound powered by Acoustic Multi Audio+ will further enhance your cinematic experience at home and you can enjoy an almost endless library of apps & content via the intuitive Google TV platform.

Definitive contrast. Professional monitor core technology | Similar to the backlight control core technology in Sony master monitors*, XR Backlight Master Drive with a unique dimming algorithm controls thousands of LEDs precisely for truly authentic contrast. Also with higher luminance than ever, BRAVIA 9 can faithfully reproduce detailed scenes, even in the brightest daylight.

Unmatched realism with XR Processor | Powered for precision. Our XR Processor features a scene recognition system that detects and analyses data with flawless accuracy, then optimises the picture for ultimate realism.

Crystal clear pictures, with even fast-moving action staying smooth, bright and crisp | XR Clear Image uses a custom database to intelligently convert your favourites to near 4K. Noise is minimised by XR Clear Image through zone division and dynamic frame analysis.

XR Motion Clarity™ analyses movement across several frames and precisely synchronises the backlight with on-screen motion so you see clear, bright images, however fast the action.

Our most cinematic sound. World's first TV with Beam Tweeter | Feel like you're in the cinema. Acoustic Multi-Audio+™ with Beam Tweeter at the top and Frame Tweeter at the sides delivers cinematic surround sound. Every sound comes from exactly the right place.

Entertainment you love. With help from Google | Google TV[™] brings together movies, shows, and more from across your apps and subscriptions and organises them just for you. Browse 400,000+ movies and TV episodes from across your streaming services, all in one place and organised into topics and genres based on what interests you.

Eco Dashboard 2 - Check your eco settings. See your power usage | Easily change eco settings, individually or in one go. Eco Dashboard 2 puts everything conveniently in one place and can even monitor your power consumption for optimum efficiency.





BRAVIA 9 FWD-XR90 QLED

- 4K HDR QLED (XR | Mini LED)
- High Peak Brightness
- XR Backlight Master Drive
- XR[™] Cognitive Processor
- Acoustic Multi Audio+
- Google TV

^{*} The backlight control of Master Monitor BVM-XH3110, used for final image quality checks at Studios, and XR Backlight Master Drive in BRAVIA were developed based on the same Sony core technology Apps must be compatible with TV. App availability varies by region and device.

> Google TV is the name of this device's software experience and a trademark of Google LLC. Google and Chromecast built-in are trademarks of Google LLC

Specifications

(in Display Features Display Features Display Features Display TV Display TV System Syst	creen Size nch, measured diagonally) bisplay resolution H x V, pixels) bisplay device bisplay device spect Ratio Operating System Digital Terrestrial) V System Digital Terrestrial) V System (Digital Cable) V System (Digital Sat) Jumber of Tuners Terrestrial/Cable) Jumber of Tuners Terrestrial/Cable) Jumber of Tuners Terrestrial/Cable Jumber of Tuners Terrestrial/C	Local E Full Arra 1 And 3: DVE DVE 2(Digital a/b/g. a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	75° 189 cm x 2160 Dimming y Mini LED 5:9 roid 12 2GB 8-T/T2 //B-CS/S2 //1(Analog) 2
Display (H	Display resolution H x V, pixels) Display device Display System Display Cable V System Digital Terrestrial V System (Digital Cable) V System (Digital Sat) Unumber of Tuners Display Cable Display Cable Uniformers Display Carling Dis	And	x x 2160 x x 2160 x x 2160 x Mini LED 5:9 x oid 12 206 E-T/T2 //B-C S/S2 //(Analog) 2 - //es ///(Analog) 2 - //es //// //es //es //// //es //es //// //es //e
Display (H. Directors) (Professional Convenience Features (Professional Convenience Fe	H x V, pixels) Jimming type Jisplay device Jispect Ratio Jispe	Local E Full Arra 1 And 3: DVE DVE 2(Digital a/b/g. a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	Dimming y Mini LED 5:9 roid 12 YB-C 7-S/52 //(Analog) 2 - //es //n/ac/ax //es
eatures Din Dis As rofessional Peatures Or Possional Peatures Or Possional P	Disming type Display device Uspect Ratio Display device Uspect Ratio Display device Uspect Ratio Display device	Full Arra 1 And 3: DVE DVE 2(Digital a/b/g. a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VPB.HEVC/WEBM:VPB/3GP ogg/AAC/ARW MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VPB.HEVC/WEBM:VPB/3GP ogg/AAC/ARW MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VPB.HEVC/WEBM:VPB/3GP ogg/AAC/ARW	y Mini LED 5:9 7:0id 12 7:0id
as rofessional operatures or one operatures or o	Aspect Ratio Operating System On-board Storage (GB) V System Oligital Terrestrial) V System (Digital Cable) V System (Digital Sat) Jumber of Tuners Iterrestrial/Cable) Jumber of Tuners (Sat) VI-Fi Direct VI-Fi Certified VI-Fi Standard Apple AirPlay Chromecast built-in Internet Browser Sodec for Home Network Vireless LAN USB playback codecs JUMI-CEC Manual On Screen Clock Jump Code (Signal Cable) Jump Code (Signal Cab	1 And 3.3 DVE DVE DVE 2(Digital 2(Digital 2(Digital 3) A/b/g. A/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,Motionipeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP 0gg/AAC/ARW MOV:AVC,MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,Motionipeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP 0gg/AAC/ARW	6:9 roid 12 YGB FT/T2 /B-C -S/S/S2 /1(Analog) 2 - /es /n/ac/ax /es /es /n/ac/ax /es /es /es /es /es /es /es /e
rofessional patures On Professional patures On	pperating System On-board Storage (GB) V System Digital Terrestrial) V System (Digital Cable) V System (Digital Cable) V System (Digital Sat) lumber of Tuners Iterrestrial/Cable) lumber of Tuners (Sat) Vi-Fi Direct Vi-Fi Certified Vi-Fi Standard AirPlay Chromecast built-in Internet Browser Sodec for Home Network Vireless LAN USB playback codecs IDMI-CEC Manual On Screen Clock Iterrestrial/Cable Din/Off Timer	And 3. DVE DVE 2(Digital a/b/g. a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	roid 12 2/GB It-T/T2 //B-C It-S/S2 /1(Analog) 2
eatures On TV (Di	On-board Storage (GB) V System Digital Terrestrial) V System (Digital Cable) V System (Digital Cable) V System (Digital Sat) Jumber of Tuners Jerrestrial/Cable) Jumber of Tuners (Sat) Vi-Fi Direct Vi-Fi Certified Vi-Fi Standard Jupple AirPlay Ji-fromecast built-in Internet Browser Jodec for Home Network Vireless LAN JISB playback codecs JUMI-CEC Manual In Screen Clock Jeep Timer	3.3. DVE DVE 2(Digital 2/(Digital 2/(Digital) a/b/g. a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	P-T/T2 /B-C S/S2 /1(Analog) 2 fes fn/ac/ax fes fes fes /MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV);VC1/ P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) grated /MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV);VC1/ P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only)
isplay TV (Di	V System Digital Terrestrial) V System (Digital Cable) V System (Digital Sat) Itumber of Tuners Iterrestrial/Cable) Itumber of Tuners (Sat) Itumber of Tuners Itum	DVE DVE 2(Digital 2(Digital a/b/g. a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	I-T/T2 /B-C :S/S2 /1(Analog) 2 - 'es fin/ac/ax /es /es /es /es /es /es /es /e
onvenience eatures ontrol pecifications pecifications proper per per per per per per per per per	V System (Digital Cable) V System (Digital Sat) Jumber of Tuners Jerrestrial/Cable) Jumber of Tuners Jerrestrial/Cable) Jumber of Tuners (Sat) Jumber of Tuners (Sat) Jumber of Tuners Jumber of	DD DVE 2(Digital 2(Digital) 2/Digital 2/Digita	//(Analog) 2
inisplay yestem TV Number of Number	V System (Digital Sat) Jumber of Tuners Jerrestrial/Cable) Jumber of Tuners Jerrestrial/Cable) Jumber of Tuners (Sat) Vi-Fi Direct Vi-Fi Certified Vi-Fi Standard Jupple AirPlay Juhromecast built-in Internet Browser Jodec for Home Network Vireless LAN JISB playback codecs JUMI-CEC Jungual Jungu	DVE 2(Digital 2(Digital 2(Digital) 2/Digital 2	L-S/S2 /1(Analog) 2 /es /n/ac/ax /es
wystern Nu (Te Nu (Te Nu With Item Nu With I	Jumber of Tuners Iterrestrial/Cable) Jumber of Tuners (Sat) Vi-Fi Direct Vi-Fi Direct Vi-Fi Certified Vi-Fi Standard Apple AirPlay Thromecast built-in Internet Browser Todec for Home Network Vireless LAN JSB playback codecs JDMI-CEC Manual John Screen Clock Jeep Timer John/Off Timer	2(Digital a/b/g. a/b/g. A/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW. Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW.	/1(Analog) 2 - /fes /fn/ac/ax /fes /fn/ac/ax /fes /fes /fes /fi/ac/ax /fes /fes /fes /fes /fos /fes /fos /fes /fos /fes /fos /fos /fos /fos /fos /fos /fos /fo
Interest of the proof of the pr	lumber of Tuners (Sat) VI-Fi Direct VI-Fi Direct VI-Fi Certified VI-Fi Standard Apple AirPlay AirOmecast built-in Internet Browser VIreless LAN VIRELS LAN	a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3CP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3CP ogg/AAC/ARW	2 - 'fes 'n/ac/ax 'fes 'n/ac/ax 'fes 'fes 'fes 'fes 'fes 'fes 'fes 'fes
onvenience eatures ontrol pecifications pecifications nputs & Outputs Ett RS PC SAPE Au Wii Wi W	VI-Fi Direct VI-Fi Certified VI-Fi Certified VI-Fi Standard UI-Fi	a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3CP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3CP ogg/AAC/ARW	- fes fn/ac/ax fes
wi Wi Appleterwork Cheatures Coonvenience eatures Coontrol Dispecifications Property Coontrol Property	Vi-Fi Certified Vi-Fi Standard Apple AirPlay Thromecast built-in Internet Browser Todec for Home Network Vireless LAN ISB playback codecs IDMI-CEC Manual ISB SCEED COCK IEEE Timer IDN/Off Timer	a/b/g. MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	/n/ac/ax /fes /fes /fes /fes /fes /fes /fes /fes
onvenience eatures Original Properties (Control properties) Ontrol pecifications HE HE REF Control IF (Control Properties) IF (Control Propert	Apple AirPlay Chromecast built-in Internet Browser Codec for Home Network Vireless LAN ISB playback codecs IDMI-CEC Manual ION Screen Clock Ideep Timer ION/Off Timer	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	Yes Yes Yes Yes Yes Yes Yes YMP4(XAVC S);AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV);VC1/ YMPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) yrated YMP4(XAVC S);AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV);VC1/ YMPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only)
letwork eatures Cheatures	hromecast built-in nternet Browser codec for Home Network Vireless LAN ISB playback codecs IDMI-CEC -Manual on Screen Clock Ieep Timer Don/Off Timer	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	Yes Yes Yes //es //es //es //mP4(XAVC_S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ //mPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) grated //MP4(XAVC_S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ //mPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only)
eatures Int Co Wi US onvenience eatures Cn Dis ontrol Da pecifications Pr HC HC RF Co IF I US Ett RS PC Au Wi Wi	nternet Browser Godec for Home Network Vireless LAN ISB playback codecs IDMI-CEC Manual On Screen Clock Ideep Timer	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	Yes //MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionIpeg/ASF(WMV):VC1/ //MP6(A,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) grated //MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionIpeg/ASF(WMV):VC1/ //MP6(A,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only)
onvenience eatures On Dis Depositions Proposition Pro	iodec for Home Network Vireless LAN ISB playback codecs IDMI-CEC Manual IDM Screen Clock Ieep Timer	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3CP ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3CP ogg/AAC/ARW	/MP4(XAVC_S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) grated /MP4(XAVC_S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) -
onvenience eatures	Vireless LAN ISB playback codecs IDMI-CEC Manual In Screen Clock Ieep Timer In Off Timer	ogg/AAC/ARW Inte MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	(Screen nail only) yrated //MP4(XAVC_S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only)
onvenience eatures On Sie On Dis Ontrol pecifications Pro HC HC HC US Ett RS PC Au Wii	ISB playback codecs IDMI-CEC Manual On Screen Clock leep Timer On/Off Timer	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	-MP4(XAVC_S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only)
Convenience reatures Sole Control Da	IDMI-CEC Manual On Screen Clock Jeep Timer In/Off Timer	MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GP ogg/AAC/ARW	P:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4 (Screen nail only) -
Convenience leatures Control Discontrol Properifications Inputs & Outputs Extra RS PC Au Will I-N I-N I-N I-N I-N I-N I-N I	Manual On Screen Clock leep Timer On/Off Timer	N. C.	-
onvenience eatures On Sie On Dis Ontrol pecifications Pro HC RF Co IF I US Ett RS PC Au Wii	Manual On Screen Clock leep Timer On/Off Timer		loc
onvenience eatures On SIe Or SIe Or	On Screen Clock leep Timer On/Off Timer		ez
Sle On Dis Ontrol Descriptions Pro HE HC RF Co IF (US) Ett RS PC Sp Ap Wii	On/Off Timer		/es
Distribution of the proof of th		Yes	
ontrol Da pecifications IP Pro Co IF (US Eth RS PC August Market	isplay Language	Yes AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,KIR,LAO,	
ontrol IP pecifications IP Pro HC RF Co IFI Outputs & Outputs Ett RS PC Au Au Wii	,,guuge	TLAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE,SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE,zh_CN,zh_HK,zh TW,ZUL TW,ZUL	
pecifications IP Pro HC HC IP	ustom Installation (CI)	Yes	
Pro HE HE RF Co IF US Ett RS PC Sp Au Wii	P Control		/es
HE RF Co IF CO HE	ro mode		No
nputs & Outputs & Us Ett RS PC Augustation Agency A	IDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz)*3 , 1080p(24,30,50,60,100,120Hz), 1080i(50,60Hz), 720p(24,30,50,60Hz), 576p, 480p	
Co IF (Co US Ett RS PC Sp Au	IF (Terrestrial/Cable)	HDCP2.3(for HDM11/2/3/4)	
nputs & Outputs HD US Ett RS PC Au Wi	onnection Input(s)	1(Side)	
HC US Ett RS PC Spp Au	F (Satellite) Input(s) Composite Video Input(s)	2(Side) -	
US Ett RS PC Sp Au	IDMI inputs total	4(4Side)	
RS PC Sp Au	ISB ports	2(Side)	
PC Sp Au Wi	thernet inputs	1(Side)	
Sp Au Wi	S-232C Input(s)		
Au Wi	PCMCIA Slot(s) peaker Position	1(Side) Front + Side + Top	
	audio Power Output	10W + 10W + 10W + 10W + 10W + 5W + 5W *1	
a	Vide Mode	Full/Vertical Fit/Horizontal Fit/Original,Full/Vertical Fit/Horizontal Fit/Original	
	:3 Default		
AV	'ideo Processing K Processor	- XR Processor	
iueo	Motion enhancer	XR Processor XR Motion Clarity, Auto mode	
HD	IDR (High Dynamic Range)	Yes(HDR10,HLG,Dolby Vision)	
	ompatibility anel Refresh Rate		
	Native Hertz)	120Hz	
	able Management	Yes	
esign	rame colour tand Design	Dark silver/Hairline Underlay stand	
VE	/ESA® Hole Spacing compatible	Unaenay stana Yes	
On	n mode power 1000h	99 kWh/1000h	83 kWh/1000h
Po	DR(New lot5) ower Consumption	0.50 W	
co & energy (in	n Standby)		
Po	Mercury content(mg) Yower Saving Mode / Back	0.0 Yes	
Lig	ight Off Mode		
	Display only (W x H x D)	Approx. 188.8 x 108.5 x 4.9 (3.29) cm	Approx. 166.7 x 96.0 x 4.8 (3.26) cm
	Display with Stand W x H x D)	Approx. 188.8 x 109.7 x 45.7 cm	Approx. 166.7 x 97.2 x 39.7 cm
Dis	Display only	Approx. 52.4 kg	Approx. 42.3 kg
Veights Approx)	isplay with Stand	Approx. 55.7 kg	Approx. 45 kg
Pa	ackage Carton (Gross)	Approx. 67 kg	Approx. 56 kg
ptional Wa ccessories	Vallmount Pracket	Sony original Wa	II-Mount Bracket*3
	Vallmount Bracket	3 Years with advanced exchange handled by local partner, on premise where possible. Optional +2 year extension.	
Service and Warranty	Vallmount Bracket PrimeSupport (Included)	Yes, Extension packages available	

^{*1} Except in Power Saving Mode

^{*2 100}Hz and 120Hz is supported by HDMI IN 3 and IN 4

^{*3} Please refer this compatibility list: https://www.sony.net/wall-mount-bracke