

Perimetrical black borders version




COBRA

Motorized screen with upwards unrolling system

Innovative motorized screen with upwards unrolling system, self standing, suitable for attics installation and rooms with skewed ceiling; buildings of historical and architectural relevance and anywhere it's impossible to drill holes in the wall or ceiling; theatres, cinemas and stages; yachts and boats; renting or service equipment.

Canvas	SOFT MATT WHITE
	Video 4:3
	HDTV 16:9
Borders	Projection screen with or without 5 cm perimetrical black borders and variable bottom black drop depending on the projection format
Engine	Opening of the projection screen by robust aluminium lifting arms and gas pistons, while the closure is controlled by a silent and powerful electric motor
Installations	COBRA screen is a self standing structure. Supply with adjustable feet suitable to adapt to not perfectly even floors; it can be fixed to the floor with suitable dowels. Depending on the installation it is possible to create suitable mounting structures or it can be embedded in to the floor.
Certifications	CE
Warranty	12 months as per conditions indicated to the instruction manual, 60 months on the mechanical parts (engine included)
Accessory (not included)	Radio remote control or radio remote receiver integrated in the electric motor and transmitter



ASPECT RATIO	DIMENSIONS		PROJECTION NET VIEW			BLACK BORDERS	TOP BLACK DROP	CODE	SIZE CLOSED	PACKING	NET WEIGHT	GROSS WEIGHT
	A	B	A'	B'	O"							
4:3	190	143	190	143	94			722983	220x29x29	231x45x38	40	64
4:3	240	180	240	180	119			723883	270x29x29	281x45x38	51	80
4:3	290	218	290	218	143			727683	320x29x29	331x45x38	63	97
4:3	340	255	340	255	168			728083	370x29x29	381x45x38	78	118
4:3	390	293	390	293	193			728583	420x29x29	431x45x38	85	129
16:9	190	107	190	107	86			723183	220x29x29	231x45x38	40	64
16:9	240	135	240	135	109			723583	270x29x29	281x45x38	51	80
16:9	290	163	290	163	131			727383	320x29x29	331x45x38	63	97
16:9	340	191	340	191	154			728183	370x29x29	381x45x38	78	118
16:9	390	220	390	220	177			728483	420x29x29	431x45x38	85	129
16:9	440	248	440	248	199			728683	470x29x29	481x45x38	94	144
16:9	490	276	490	276	222			725983	520x29x29	531x45x38	105	160
4:3	190	170	180	135	89	5	30	722884	220x29x29	231x45x38	40	64
4:3	240	195	230	170	113	5	20	723884	270x29x29	281x45x38	51	80
4:3	290	245	280	210	138	5	30	727684	320x29x29	331x45x38	63	97
4:3	340	273	330	248	163	5	20	728084	370x29x29	381x45x38	78	118
4:3	390	310	380	285	188	5	20	728584	420x29x29	431x45x38	85	129
16:9	190	147	180	102	82	5	40	723184	220x29x29	231x45x38	40	64
16:9	240	170	230	130	105	5	35	723584	270x29x29	281x45x38	51	80
16:9	290	198	280	158	127	5	35	727384	320x29x29	331x45x38	63	97
16:9	340	221	330	186	150	5	30	728184	370x29x29	381x45x38	78	118
16:9	390	259	380	214	172	5	40	728484	420x29x29	431x45x38	85	129
16:9	440	272	430	242	195	5	25	728684	470x29x29	481x45x38	94	144
16:9	490	295	480	270	217	5	20	725984	520x29x29	531x45x38	105	160

Size in cm, weights expressed in kilograms, diagonal expressed in inches (")





HELGI

THE DIGITAL COURTYARD

Helgi Europe
education@helgi-solutions.com
business@helgi-solutions.com
www.helgi-solutions.com