

# ViewSonic® LED DISPLAY VX3276-4K-mhd

---

## Key Features

- HDR10 content support
- SuperClear® technology
- Frameless bezel and metallic triangle stand
- Dual HDMI, DisplayPort and mini DP inputs
- 80M:1 dynamic contrast ratio



## Product Description

Whether for office use or for enjoying entertainment at home, the ViewSonic® VX3276-4K-mhd is designed to take your viewing experience to another level. With SuperClear® VA-Type panel technology and a sleek frameless design, this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. Stunning 4K Ultra HD resolution delivers 4-times more pixels than Full HD monitors, which boosts efficiency and image detail needed for work or play. A mega dynamic contrast ratio of 80M:1 delivers enhanced image depth for a better user experience. Moreover, HDR10 content support delivers vivid colours and brightness that exceeds that of standard monitors. Built-in HDMI, DisplayPort, and mini DP inputs deliver flexible connectivity options for a wide range of devices.

---

**Visit Us** — [www.viewsonic.com](http://www.viewsonic.com)

DISPLAY

Display Size (in.):	32
Viewable Area (in.):	31.5
Panel Type:	VA Technology
Resolution:	3840 x 2160
Resolution Type:	UHD
Static Contrast Ratio:	2,500:1 (typ)
Dynamic Contrast Ratio:	80M:1
Light Source:	LED
Brightness:	300 cd/m2 (typ)
Colours:	16.7M
Colour Space Support:	8 bit (6 bit + FRC)
Aspect Ratio:	16:9
Response Time (Typical GTG):	4ms
Response Time (GTG w/OD):	4ms
Viewing Angles:	178° horizontal, 178° vertical
Backlight Life (Hours):	30000 Hrs (Min)
Curvature:	Flat
Refresh Rate (Hz):	60
Blue Light Filter:	Yes
Flicker-Free:	Yes
Colour Gamut:	NTSC: 85% size (Typ) sRGB: 118% size (Typ)
Pixel Size:	0.182 mm (H) x 0.182 mm (V)
Surface Treatment:	Anti-Glare, Hard Coating (3H)

COMPATIBILITY

PC Resolution (max):	3840x2160
Mac® Resolution (max):	3840x2160
PC Operating System:	Windows 10 certified; macOS tested
Mac® Resolution (min):	3840x2160

CONNECTOR

3.5mm Audio Out:	1
HDMI 2.0 (with HDCP 2.2):	2
Display Port:	1
Mini Display Port:	1
Power in:	3-pin Socket (IEC C14 / CEE22)

AUDIO

Internal Speakers:	2Watts x2
--------------------	-----------

POWER

Eco Mode (Conserve):	24W
Eco Mode (optimised):	34W
Consumption (typical):	51W
Consumption (max):	52W
Voltage:	AC 100-240V, 50/60 Hz
Stand-by:	0.5W
Power Supply:	Internal

ADDITIONAL HARDWARE

Kensington Lock Slot:	1
-----------------------	---

CONTROLS

Physical Controls:	Key 1 (game mode), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display:	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

OPERATING CONDITIONS

Temperature:	32°F to 104°F (0°C to 40°C)
Humidity (non-condensing):	20% to 90%

WALL MOUNT

VESA Compatible:	100 x 100 mm
------------------	--------------

INPUT SIGNAL

Frequency Horizontal:	15 ~ 140KHz
Frequency Vertical:	24 ~ 75Hz

VIDEO INPUT

Digital Sync:	TMDS - HDMI (v2.0), PCI-E - DisplayPort (v1.2), PCI-E - mini DisplayPort (v1.2)
---------------	---------------------------------------------------------------------------------

ERGONOMICS

Tilt (Forward/Back):	-4° / 15°
----------------------	-----------

WEIGHT (IMPERIAL)

Net (lbs):	15.2
Net Without Stand (lbs):	14.1
Gross (lbs):	19.8

WEIGHT (METRIC)

Net (kg):	6.9
Net Without Stand (kg):	6.4
Gross (kg):	9

DIMENSIONS (IMPERIAL) (WXHxD)

Packaging (in.):	33 x 20.2 x 4.6
Physical (in.):	28.2 x 20 x 9.1
Physical Without Stand (in.):	28.2 x 16.5 x 1.7

DIMENSIONS (METRIC) (WXHxD)

Packaging (mm):	838 x 514 x 118
Physical (mm):	716 x 508 x 230
Physical Without Stand (mm):	716 x 420 x 44

GENERAL

Regulations:	cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO
PACKAGE CONTENTS:	VX3276-4K-MHD x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.0; Male-Male) x1, Quick Start Guide x1
Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
Warranty:	*Warranty offered may differ from market to market
Country Of Origin:	China
Power Management:	Energy Star standards