SMS PRESENCE WALL MANUAL



Simple and discrete height adjustment - on the wall

A stable and adjustable wall bracket available in two versions – Heavy and Light. The well-balanced solution uses springs instead of counterweights. This not only makes the bracket easier to handle, it also saves weight. The SMS Presence Wall Manual Light has a single row of springs, while the SMS Presence Wall Manual Heavy has a double row, suitable for use with very heavy displays. The design is very discrete and the complete bracket, except for the handle, is fully hidden when large displays are mounted. If the display is smaller than the bracket, it can easily be covered with the SMS Presence Wall Manual Cover, for an attractive and integral impression. The bracket is delivered pre-assembled to a large extent, which makes installation quick and easy. The handle allows you to easily select the position you want, and fix the display there. The bracket is patent pending and the ingenious locking mechanism ensures that the display is held in exactly the right position, providing easy access for all users. Finish: Anthracite grey.

QUESTIONS AND ANSWERS

Can touch-sensitive displays be used with the wall bracket?

- Yes, the stable design makes the bracket admirably suitable for use with touch displays.

How large is the difference in height between the lowest and highest points after mounting?

- The stroke length is approximately 370 mm.

INFO

- Finish: Anthracite grey
- A wall bracket for displays, with manual height adjustment
- Assembly: Everything except the VESA bars and the handle is assembled
- at the factory
- Two versions: Heavy and Light
- Wall Manual Heavy: maximum load 115 kgWall Manual Light: maximum load 45 kg
- waii wanuai Light: maximum load 45 kg
 Weight: Heavy 35 kg, Light 30 kg
- Guarantee: 5 years
- Suitable for screens with hole patterns: Horizontal minimum 300 mm, maximum 800 mm Vertical minimum 100 mm, maximum 600 mm
- When used with displays less than 800 mm in height, the SMS Presence Wall Manual Cover, article no. PR081011, is to be used
- Admirably suitable for use with touch displays
- Ingenious locking mechanism (patent pending) ensures that the display is held in exactly the right position





PR081001 PR081002 DESCRIPTION

700

SMS Presence Wall Manual Heavy SMS Presence Wall Manual Light









www.smartmediasolutions.se

SMART MEDIA SOLUTIONS