

StarBoard TE-XP1

INTERACTIVE DISPLAY



StarBoard Advanced Touch Technology

StarBoard TE-XP1 offers the latest touch technology with a wide choice of sizes to suite all classroom environments. The multifunctional touch display is suitable for education and business presentations.

Our XP-series delivers infrared touch technology, 2x 15W front speakers with a host of functional front inputs and multiple controller buttons for ease of use and fast connectivity.

Proven Touch Screen Technology

Allows your choice of multi-finger touch, stylus pen or pointer response which can be used for writing, drawing and navigation.



Built-in Android 9.0



Ultra Slim Design



Compatible with
Windows, Mac OS
and Linux

Software

Equipped with StarBoard's Interactive Software, SBS Note, StarClass Management.



Built in 15w
Speakers

StarBoard TE-XP1

Specifications

Model XP	
Display	
Display Sizes	65" 75" 86"
Resolution	3840x2160
Active Area (mm)	65": 1428.48x803.52 (64.53") 75": 1650.24x928.26 (74.52") 86": 1895.04x1065.9 (88.56")
Glass	4mm tempered glass
View angle	178°
Aspect ratio	16:9
Brightness	350 cd/m2
Contrast	65": 4000:1 75": 4000:1 86": 1200:1
Colors	10 Bit + FRC (1.07 Billion)
Resolutions supported	1024x768 / 1280x720 / 1280x960 1280x1024 / 1360x768 / 1440x900 1600x1200 / 1920x1080 / 3840x2160
Response time	65": 5-8 ms 75": 6-8 ms 86": 8-12 ms

Android specification	
System	Android 9.0
GPU	Quad core Mali G52
CPU	4*ARM Cortex-A55
RAM	3G
ROM	32G
Bluetooth	5.0

Touch specification	
Working temp.	0°c –40°c
Touch points	Up to 20 Points
Writing mode	Finger, pen, or any non-transparent object
Touch Technology	IR Technology
Accuracy	<3 mm
Positioning Res.	4096x4096/16384x16384/32768x32768
Response time	<8ms
Cursor speed	>180 dot/Sec
Comm. Port	USB

Input / Output connections				
	Back input	Front input	Back output	OPS *
WIFI	1 (5G)			
RJ45	1			
Touch Port	1			
HDMI 2.0	2	1		1
VGA	1			1
Audio	1			1
RS232	1			
SD Card	1			
YPbPr	1			
DP	1			
HeadPhone			1	
AV	1			
COXIAL			1	
USB 2.0	1	2		
Touch USB	1	1		1
USB 3.0	1	1		

* OPS is based on an Intel Core i5 processor witch is an optional extra.

Power specification	
Standby	<1W
Rated consumption	65": 220W
	75": 250W
	86": 350W
Voltage range	AC (100-240) V-50/ 60Hz

General	
Weight (N.W)	65": 37.0 Kg
	75": 55.8 Kg
	86": 70.0 Kg
Weight (G.W)	65": 50.0 Kg
	75": 70.0 Kg
	86": 90.0 Kg
Packaging dimension	65": 1646x1074x240 mm
	75": 1873x1204x240 mm
	86": 2120x1353x240 mm
Product dimension	65": 1486x923.9x101.1 mm
	75": 1712.5x1054.3x104.8 mm
	86": 1959x1192.8x101.8 mm
Life Spam	50.000 Hours

StarBoard Solution GmbH

Am Borsigturm 53
13507 Berlin, Germany
Tel.: +49 (0)30 8877 2600

Email: berlin@starboard-solution.com


www.starboard-solution.eu




StarBoard[®]
INTERACTIVE SINCE 2001

StarBoard TE-XP1

65"



75"



86"

