EB-735Fi



Create an impact in any workspace with a large, scalable, interactive display that connects people in or out of the workplace

Transform any workspace with this flexible and scalable display that increases collaboration, productivity, as well as delivering sustainability. Regardless of angles or room layout, every person enjoys uninterrupted, immersive viewing, with space maximised and social distancing made possible, without the unnecessary cost of larger fixed size screens.

Flexibility is paramount with the EB-735Fi, with bright, large scalable display options up to 100" (or up to 110" in 16:6 wide format). Unlike flat-panel equivalents, there are no shadows, glare or blind spots, and the high-brightness laser light source can work even when ambient lighting is also high. Multi-screen interactivity makes collaboration easy and intuitive, while a split-screen feature can show up to four inputs in one large display, preventing the need for additional displays.

The viewing experience is immersive, with multiple connectivity options enhancing exceptional image and sound quality. For the ultimate in engagement, wireless connectivity (including Screen Mirroring via Miracast) allows everyone to share content from their tablets, mobiles or laptops.

Users can annotate content with pen and (optional) finger touch, alongside advanced whiteboard options. The EB-735Fi also supports additional collaboration and productivity tools, including print, save and email.

When compared to flat panels displays, the EB-735Fi provides multiple display sizes and formats for one fixed cost. It also offers flexible mounting options to deploy a more comfortable view for delegates, is more sustainable and provides a hygienic workspace when used with an antibacterial whiteboard - free from finger marks.

DATASHEET / BROCHURE



KEY FEATURES

- Any room, any size Bright, large-format display options up to 110" 16:6
- Send productivity soaring Easy-to-use interface, optional responsive touch and fast set up
- Freedom of connectivity Expand connectivity through BYOD devices, VC cameras and more
- Exceptional reliability Maintenance-free laser technology for fitand-forget peace of mind





PRODUCT SPECIFICATIONS

3LCD Technology, RGB liquid crystal shutter	
0.61 inch with C2 Fine	
3,600 Lumen- 2,500 Lumen (economy) In accordance with IDMS15.4	
3,600 Lumen - 2,500 Lumen (economy) In accordance with ISO 21118:2020	
1080p	
Full HD	
16:9	
2,500,000 : 1	
Laser	
20,000 hours Durability High, 30,000 hours Durability Eco	
Manual vertical: ± 3 °, Manual horizontal ± 3 $^\circ$	
10 Bits	
192 Hz - 240 Hz	
Upto 1.07 billion colours	
0.26 - 0.36:1	
Digital, Factor: 1 - 1.35	
Optical	
65 inches - 100 inches	
1.6	
3.7 mm	
Manual	
5:1	
USB 2.0-A (2x), USB 2.0 (2x), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless	
LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Jack	
plug out, Jack plug in (3x), Microphone input, Finger-touch interface (optional), Sync. in, Sync.	
out, Multi-Touch interface (optional)	
Ad-Hoc / Infrastructure	
HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink	

EB-735Fi

WHAT'S IN THE BOX

- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Pen Holder/Stand
- Removable battery x2
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- USB cable
- Quick Start Guide



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

ADVANCED FEATURES

Security

Ε	В	_	7	3	5	F	i
	_			~	~		۰.

WHAT'S IN THE BO

0 0	·· · · · · · ·
• 2 x Pen	tip(Teflon)

- 4 x Pen tip(Felt)
- Pen Holder/Stand
- Removable battery x2
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- USB cable
- Quick Start Guide

Warranty	60 months Carry in or 12,000 h Optional warranty extension available			
OTHER				
i co certinea	For further information relating to TCO Certified please visit https://tcocertified.com/files/certification/Information-document-for-end-users.pdf			
Colour TCO Certified	White For further information relating to TCO Cortified places visit			
Positioning	Ceiling Mounted, Table Mounted, Wall Mounted			
Room Type / Application	Boardroom, Meeting room / Classroom			
Loudspeaker	16 Watt			
	tip(Teflon), Wall mount, Wireless LAN unit			
Options	Connection and control box, Document camera, External Speaker, Pen tip(Felt), Pen			
Included Software	Easy Interactive Tools, EasyMP Multi PC Projection, Epson Projector Management			
Supported Temperature	Storage -10° C - 60° C			
Noise Level	Normal: 36 dB (A) - Economy: 26 dB (A)			
Product weight	5.8 kg			
Product dimensions	356 x 395 x 133 mm (Width x Depth x Height)			
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz			
GENERAL Power consumption	255 Watt, 197 Watt (economy), 0.5 Watt (standby), On mode power consumption as defined i JBMS-84 200 Watt			
	Discovery Protocol			
	RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device			
Projector control	via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron			
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB			
Interactivity	App, iProjecton set-up by QR code Yes - pen and finger-touch			
	Web Control, Web Remote, Whiteboard sharing function, Wireless LAN capable, iProjection			
	Mirroring, Screen share, Sliding split-screen feature, Split-Screen-Function, Super resolution,			
	annotation, Projection App for Chromebook, Quick Corner, Schedule Function, Screen			
	Network administration, Network projection, OSD copy function, PC Interactive, PC free			
	Interactive Home Screen, Interactive OSD menu, Mail notification function, Microphone input			
	Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Interactive,			
	Dual Pen Support, Easy OSD pre-setting, Email notification, Finger-touch support, Home			
Other features	A/V mute, Arc Correction, Auto Calibration, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible,			
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard			
	LAN unit lock, Wireless LAN security, Password protection			
Security	Kensington lock, Control panel lock, Password lock, Padlock, Security cable noie, wireless			

Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless



OPTIONAL ACCESSORIES

- Interactive Pen ELPPN05B Blue EB-6xxWi/Ui / 14xxUi V12H774010
- Interactive Pen ELPPN05A Orange EB-6xxWi/Ui / 14xxUi V12H773010
- ELPMB63 Finger Touch Wall Bracket for ELPFT01 V12HA05A09
- Ceiling Mount (White) ELPMB23 V12H003B23
- ELPFT01 Finger Touch Unit V12H007A24
- Wall Mount ELPMB62 EB-7xx / EB-8xx V12HA06A06
- Air Filter ELPAF60 EB-7XX / EB-L2xx Series V13H134A60
- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Replacement Soft Pen Tip ELPPS04 (12pcs) V12H776010

LOGISTICS INFORMATION

ѕки	V11H997040
EAN code	8715946681832
Country of Origin	China



TEKSEL d.o.o. Tržaška cesta 132 1000 Ljubljana Tel.: +386 1 620 77 25 Faks: +386 1 620 77 26 Splet: www.teksel.si E-pošta: info@teksel.si



EB-735Fi